

Application No. 10/609,120

Attorney Docket No. 11187-00016

(Endow-3)


Reply to Office Action of April 24, 2006

LISTING OF THE CLAIMS

The following listing of claims will replace all prior versions and listing of claims in the application. For the Examiner's convenience a complete listing of all claims incorporating the amendments made herein is attached as Appendix A.

Claims 1-6. Cancelled

7. (Currently Amended) A method of reducing alcohol consumption in a mammal comprising administering a compound of Formula I



Formula I

wherein:

R₁ is selected from the group consisting of hydrogen, carboxy, halo, branched or straight chain (C₁-C₆)haloalkyl, (C₃-C₆)cycloalkoxy, (C₁-C₆)haloalkoxy, (C₃-C₆)cyclohaloalkoxy, (C₃-C₆)cycloalkoxyalkyl, (C₁-C₆)alkoxy(C₃-C₆)cycloalkyl, (C₃-C₆)cycloalkylcarbonyl, substituted or unsubstituted phenyl, phenyl(C₁-C₆)alkyl, and heterocycloalkoxy, heterocyclylcarbonyl, wherein substituents are from one to four and are selected from the group consisting of halo, aminocarbonyl, aminothiocarbonyl, carboxy, formyl, hydroxy, amino, carbamoyl, (C₁-C₃)alkyl, (C₁-C₃)haloalkyl, (C₁-C₃)alkoxy, (C₁-C₃)haloalkoxy, (C₁-C₃)alkylamino, di(C₁-C₃)alkylamino, (C₁-C₂)alkoxy(C₁-C₂)alkyl, (C₁-C₂)alkylamino(C₁-C₂)alkyl, di(C₁-C₂)alkylamino(C₁-C₂)alkyl, (C₁-C₃)alkylcarbonyl, (C₁-C₃)alkoxycarbonyl, (C₁-C₃)alkylaminocarbonyl, and di (C₁-C₃)alkylaminocarbonyl;

Application No. 10/609,120
Attorney Docket No. 11187-00016

(Endow-3)

Reply to Office Action of April 24, 2006

R₂ is selected from the group consisting of hydrogen and alkoxy;

R₃ is selected from the group consisting of hydrogen, (C₁-C₆) alkoxycarbonyl, and
carboxy-~~and sugar~~;

R₄ is selected from the group consisting of hydrogen and hydroxy;

R₅ is selected from the group consisting of hydrogen, carboxy, hydroxy, amino, halo, branched or straight chain (C₁-C₆)alkyl, (C₁-C₆)haloalkyl, (C₂-C₆)alkenyl, (C₃-C₆)alkadienyl, (C₁-C₆)alkoxy, (C₃-C₆)cycloalkoxy, (C₁-C₆)haloalkoxy, (C₃-C₆)cyclohaloalkoxy, (C₂-C₆)alkynyloxy, (C₁-C₆)alkoxy(C₁-C₆)alkyl, (C₃-C₆)cycloalkoxyalkyl, (C₁-C₆)alkoxy(C₃-C₆)cycloalkyl, (C₁-C₆)alkylcarbonyl, (C₃-C₆)cycloalkylcarbonyl, (C₁-C₆)alkoxycarbonyl, (C₄-C₆)alkoxycarbonylalkyl, (C₁-C₆)hydroxyalkyl, substituted or unsubstituted phenyl, phenyl(C₁-C₆)alkyl, heterocyclyl, heterocyclyloxy, heterocyclylcarbonyl, wherein substituents are from one to four and are selected from the group consisting of halo, aminocarbonyl, aminothiocarbonyl, carboxy, formyl, hydroxy, amino, carbamoyl, (C₁-C₃)alkyl, (C₁-C₃)haloalkyl, (C₁-C₃)alkoxy, (C₁-C₃)haloalkoxy, (C₁-C₃)alkylamino, di(C₁-C₃)alkylamino, (C₁-C₂)alkoxy(C₁-C₂)alkyl, (C₁-C₂)alkylamino(C₁-C₂)alkyl, di(C₁-C₂)alkylamino(C₁-C₂)alkyl, (C₁-C₃)alkylcarbonyl, (C₁-C₃)alkoxycarbonyl, (C₁-C₃)alkylaminocarbonyl, and di (C₁-C₃)alkylaminocarbonyl;

R₆ is selected from the group consisting of hydrogen and hydroxy; and

R₇ is selected from the group consisting of hydrogen and halogen,

with the proviso that R₅ cannot be hydroxy when R₁, R₂, R₃, R₄, R₆, and R₇ are all hydrogen


in an amount effective to increase a concentration of 5-hydroxyindoleacetaldehyde or 3,4-dihydroxyphenylacetaldehyde formed during catabolism of serotonin or dopamine.

Application No. 10/609,120
 Attorney Docket No. 11187-00016

(Endow-3)

Reply to Office Action of April 24, 2006

8. (Currently Amended) A method of reducing alcohol consumption in a mammal comprising administering a compound of Formula I



Formula I

wherein:

R₁ is selected from the group consisting of hydrogen, carboxy, halo, branched or straight chain (C₁-C₆)alkyl, (C₁-C₆)haloalkyl, (C₂-C₆)alkenyl, (C₃-C₆)alkadienyl, (C₁-C₆)alkoxy, (C₃-C₆)cycloalkoxy, (C₁-C₆)haloalkoxy, (C₂-C₆)cyclohaloalkoxy, (C₂-C₆)alkynyleoxy, (C₁-C₆)alkoxy(C₁-C₆)alkyl, (C₃-C₆)cycloalkoxyalkyl, (C₁-C₆)alkoxy(C₃-C₆)cycloalkyl, (C₁-C₆)alkylcarbonyl, (C₃-C₆)cycloalkylcarbonyl, (C₁-C₆)alkoxycarbonyl, (C₄-C₆)alkoxycarbonylalkyl, (C₁-C₆)hydroxyalkyl, (C₅-C₁₀)carboxyalkyl, substituted or unsubstituted phenyl, phenyl(C₁-C₆)alkyl, heterocyclyl, heterocyclyleoxy, heterocyclylcarbonyl, wherein substituents are from one to four and are selected from the group consisting of halo, aminocarbonyl, aminothiocarbonyl, carboxy, formyl, hydroxy, amino, carbamoyl, (C₁-C₃)alkyl, (C₁-C₃)haloalkyl, (C₁-C₃)alkoxy, (C₁-C₃)haloalkoxy, (C₁-C₃)alkylamino, di(C₁-C₃)alkylamino, (C₁-C₂)alkoxy(C₁-C₂)alkyl, (C₁-C₂)alkylamino(C₁-C₂)alkyl, di(C₁-C₂)alkylamino(C₁-C₂)alkyl, (C₁-C₃)alkylcarbonyl, (C₁-C₃)alkoxycarbonyl, (C₁-C₃)alkylaminocarbonyl, and di (C₁-C₃)alkylaminocarbonyl;

R₂ is selected from the group consisting of hydrogen and alkoxy;

R₃ is selected from the group consisting of hydrogen, (C₁-C₆) alkoxycarbonyl, and carboxy and sugar;

R₄ is selected from the group consisting of hydrogen and hydroxy;

Application No. 10/609,120
Attorney Docket No. 11187-00016
(Endow-3)

Reply to Office Action of April 24, 2006

R₃ is selected from the group consisting of hydrogen, carboxy, halo, amino, branched or straight chain (C₁-C₆)alkyl, (C₁-C₆)haloalkyl, (C₂-C₆)alkenyl, (C₃-C₆)alkadienyl, (C₁-C₆)alkoxy, (C₃-C₆)cycloalkoxy, (C₁-C₆)haloalkoxy, (C₃-C₆)cyclohaloalkoxy, (C₂-C₆)alkynyloxy, (C₁-C₆)alkoxy(C₁-C₆)alkyl, (C₃-C₆)cycloalkoxyalkyl, (C₁-C₆)alkoxy(C₃-C₆)cycloalkyl, (C₁-C₆)alkylcarbonyl, (C₃-C₆)cycloalkylcarbonyl, (C₁-C₆)alkoxycarbonyl, (C₄-C₆)alkoxycarbonylalkyl, (C₁-C₆)hydroxyalkyl, substituted or unsubstituted phenyl, phenyl(C₁-C₆)alkyl, heterocyclyl, heterocycliloxy, heterocyclylcarbonyl, wherein substituents are from one to four and are selected from the group consisting of halo, aminocarbonyl, aminothiocarbonyl, carboxy, formyl, hydroxy, amino, carbamoyl, (C₁-C₃)alkyl, (C₁-C₃)haloalkyl, (C₁-C₃)alkoxy, (C₁-C₃)haloalkoxy, (C₁-C₃)alkylamino, di(C₁-C₃)alkylamino, (C₁-C₂)alkoxy(C₁-C₂)alkyl, (C₁-C₂)alkylamino(C₁-C₂)alkyl, di(C₁-C₂)alkylamino(C₁-C₂)alkyl, (C₁-C₃)alkylcarbonyl, (C₁-C₃)alkoxycarbonyl, (C₁-C₃)alkylaminocarbonyl, and di (C₁-C₃)alkylaminocarbonyl

R₆ is selected from the group consisting of hydrogen and hydroxy; and

R₇ is selected from the group consisting of hydrogen, halogen, and C₁-C₆ alkoxy,

in an amount effective to increase a concentration 5-hydroxyindoleacetaldehyde or 3,4-dihydroxyphenylacetaldehyde formed during catabolism of serotonin or dopamine.

9. (Original) The method of claim 7, wherein the mammal is a human.

Claims 10 and 11 Cancelled

12. (Original) The method of claim 7, wherein the compound does not inhibit monoamine oxidase.

Application No. 10/609,120
Attorney Docket No. 11187-00016
(Endow-3)

Reply to Office Action of April 24, 2006


13. (Previously Presented) The method of claim 7, wherein R₅ is hydroxy or amino.
14. (Original) The method of claim 8, wherein R₁ is a straight chain alkyl.
15. (Original) The method of claim 8, wherein R₁ is (C₁C₆)hydroxyalkyl or (C₅-C₁₀)carboxyalkyl.
16. (Original) The method of claim 7, wherein the compound is administered intraperitoneally, intramuscularly or orally.

Claims 17-25 Cancelled

Application No. 10/609,120
 Attorney Docket No. 11187-00016
 (Endow-3)

Reply to Office Action of April 24, 2006

26. (Currently Amended) A compound having the structure of Formula I



Formula I

wherein:

R_1 is selected from the group consisting of hydrogen, carboxy, halo, amino, branched or straight chain (C₁-C₆)haloalkyl, (C₃-C₆)cycloalkoxy, (C₁-C₆)haloalkoxy, (C₃-C₆)cyclohaloalkoxy, (C₃-C₆)cycloalkoxyalkyl, (C₁-C₆)alkoxy(C₃-C₆)cycloalkyl, (C₃-C₆)cycloalkylcarbonyl, substituted or unsubstituted phenyl, phenyl(C₁-C₆)alkyl, and heterocyclyloxy, heterocyclylcarbonyl, wherein substituents are from one to four and are selected from the group consisting of halo, aminocarbonyl, aminothiocarbonyl, carboxy, formyl, hydroxy, amino, carbamoyl, (C₁-C₃)alkyl, (C₁-C₃)haloalkyl, (C₁-C₃)alkoxy, (C₁-C₃)haloalkoxy, (C₁-C₃)alkylamino, di(C₁-C₃)alkylamino, (C₁-C₂)alkoxy(C₁-C₂)alkyl, (C₁-C₂)alkylamino(C₁-C₂)alkyl, di(C₁-C₂)alkylamino(C₁-C₂)alkyl, (C₁-C₃)alkylcarbonyl, (C₁-C₃)alkoxycarbonyl, (C₁-C₃)alkylaminocarbonyl, and di (C₁-C₃)alkylaminocarbonyl;

R_2 is selected from the group consisting of hydrogen and alkoxy;

R_3 is hydrogen;

R_4 is selected from the group consisting of hydrogen and hydroxy;

R_5 is selected from the group consisting of hydrogen, carboxy, hydroxy, halo, amino, branched or straight chain (C₁-C₆)alkyl, (C₁-C₆)haloalkyl, (C₂-C₆)alkenyl, (C₃-C₆)alkadienyl, (C₁-C₆)alkoxy, (C₃-C₆)cycloalkoxy, (C₁-C₆)haloalkoxy, (C₃-C₆)cyclohaloalkoxy, (C₂-C₆)alkynyloxy, (C₁-C₆)alkoxy(C₁-C₆)alkyl, (C₃-C₆)cycloalkoxyalkyl, (C₁-C₆)alkoxy(C₃-

Application No. 10/609,120
 Attorney Docket No. 11187-00016

(Endow-3)

Reply to Office Action of April 24, 2006


C₆cycloalkyl, (C₁-C₆)alkylcarbonyl, (C₃-C₆)cycloalkylcarbonyl, (C₁-C₆)alkoxycarbonyl, (C₄-C₆)alkoxycarbonylalkyl, (C₁-C₆)hydroxyalkyl, substituted or unsubstituted phenyl, phenyl(C₁-C₆)alkyl, heterocyclyl, heterocyclyloxy, heterocyclylcarbonyl, wherein substituents are from one to four and are selected from the group consisting of halo, aminocarbonyl, aminothiocarbonyl, carboxy, formyl, hydroxy, amino, carbamoyl, (C₁-C₃)alkyl, (C₁-C₃)haloalkyl, (C₁-C₃)alkoxy, (C₁-C₃)haloalkoxy, (C₁-C₃)alkylamino, di(C₁-C₃)alkylamino, (C₁-C₂)alkoxy(C₁-C₂)alkyl, (C₁-C₂)alkylamino(C₁-C₂)alkyl, di(C₁-C₂)alkylamino(C₁-C₂)alkyl, (C₁-C₃)alkylcarbonyl, (C₁-C₃)alkoxycarbonyl, (C₁-C₃)alkylaminocarbonyl, and di(C₁-C₃)alkylaminocarbonyl;

R₆ is selected from the group consisting of hydrogen and hydroxy; and

R₇ is selected from the group consisting of hydrogen and halogen,

with the proviso that R₅ cannot be hydroxy when R₁, R₂, R₃, R₄, R₆, and R₇ are all hydrogen.

27. (Currently Amended) A compound having the structure of Formula I



Formula I

wherein:

R₁ is selected from the group consisting of hydrogen, carboxy, halo, amino, branched or straight chain (C₁-C₆)alkyl, (C₁-C₆)haloalkyl, (C₂-C₆)alkenyl, (C₃-C₆)alkadienyl, (C₁-C₆)alkoxy, (C₃-C₆)cycloalkoxy, (C₁-C₆)haloalkoxy, (C₃-C₆)cyclohaloalkoxy, (C₃-C₆)alkynyleoxy, (C₁-C₆)alkoxy(C₁-C₆)alkyl, (C₃-C₆)cycloalkoxyalkyl, (C₁-C₆)alkoxy(C₃-C₆)cycloalkyl, (C₁-

Application No. 10/609,120
 Attorney Docket No. 11187-00016
 (Endow-3)

Reply to Office Action of April 24, 2006

C₆alkylcarbonyl, (C₃-C₆)cycloalkylcarbonyl, (C₁-C₆)alkoxycarbonyl, (C₄-C₆)alkoxycarbonylalkyl, (C₁-C₆)hydroxyalkyl, (C₅-C₁₀)carboxyalkyl, substituted or unsubstituted phenyl, phenyl(C₁-C₆)alkyl, heterocyclyl, ~~heterocyclyloxy~~, heterocyclylcarbonyl, wherein substituents are from one to four and are selected from the group consisting of halo, aminocarbonyl, aminothiocarbonyl, carboxy, formyl, hydroxy, amino, carbamoyl, (C₁-C₃)alkyl, (C₁-C₃)haloalkyl, (C₁-C₃)alkoxy, (C₁-C₃)haloalkoxy, (C₁-C₃)alkylamino, di(C₁-C₃)alkylamino, (C₁-C₂)alkoxy(C₁-C₂)alkyl, (C₁-C₂)alkylamino(C₁-C₂)alkyl, di(C₁-C₂)alkylamino(C₁-C₂)alkyl, (C₁-C₃)alkylcarbonyl, (C₁-C₃)alkoxycarbonyl, (C₁-C₃)alkylaminocarbonyl, and di (C₁-C₃)alkylaminocarbonyl;

R₂ is selected from the group consisting of hydrogen and alkoxy;

R₃ is hydrogen;

R₄ is selected from the group consisting of hydrogen and hydroxy;

R₅ is selected from the group consisting of ~~hydrogen, carboxy, halo, amino~~, branched or straight chain (C₁-C₆)alkyl, (C₁-C₆)haloalkyl, ~~(C₂-C₆)alkenyl~~, (C₃-C₆)alkadienyl, (C₄-C₆)alkoxy, (C₃-C₆)cycloalkoxy, (C₁-C₆)haloalkoxy, (C₃-C₆)cyclohaloalkoxy, (C₂-C₆)alkynyloxy, (C₁-C₆)alkoxy(C₁-C₆)alkyl, (C₃-C₆)cycloalkoxyalkyl, (C₁-C₆)alkoxy(C₃-C₆)cycloalkyl, (C₄-C₆)alkylcarbonyl, (C₃-C₆)cycloalkylcarbonyl, (C₁-C₆)alkoxycarbonyl, (C₄-C₆)alkoxycarbonylalkyl, (C₁-C₆)hydroxyalkyl, substituted or unsubstituted phenyl, phenyl(C₁-C₆)alkyl, heterocyclyl, heterocyclyloxy, heterocyclylcarbonyl, wherein substituents are from one to four and are selected from the group consisting of halo, aminocarbonyl, aminothiocarbonyl, carboxy, formyl, hydroxy, amino, carbamoyl, (C₁-C₃)alkyl, (C₁-C₃)haloalkyl, (C₁-C₃)alkoxy, (C₁-C₃)haloalkoxy, (C₁-C₃)alkylamino, di(C₁-C₃)alkylamino, (C₁-C₂)alkoxy(C₁-C₂)alkyl, (C₁-C₂)alkylamino(C₁-C₂)alkyl, di(C₁-C₂)alkylamino(C₁-C₂)alkyl, (C₁-C₃)alkylcarbonyl, (C₁-C₃)alkoxycarbonyl, (C₁-C₃)alkylaminocarbonyl, and di (C₁-C₃)alkylaminocarbonyl

R₆ is selected from the group consisting of hydrogen and hydroxy; and

R₇ is selected from the group consisting of hydrogen, halogen, and C₁-C₆ alkoxy.

Application No. 10/609,120
Attorney Docket No. 11187-00016
(Endow-3)

Reply to Office Action of April 24, 2006

28. (Previously Presented) The compound of claim 26, wherein R₅ is hydroxy or amino.

29. (Original) The compound of claim 27, wherein R₁ is a straight chain alkyl.

30. (Previously Presented) The compound of claim 27, wherein R₁ is (C₁-C₆)hydroxyalkyl or (C₅-C₁₀)carboxyalkyl.

Claims 31 and 32 Cancelled

**This Page is Inserted by IFW Indexing and Scanning
Operations and is not part of the Official Record**

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- ☐ **BLACK BORDERS**
- ☐ **IMAGE CUT OFF AT TOP, BOTTOM OR SIDES**
- ☐ **FADED TEXT OR DRAWING**
- ☐ **BLURRED OR ILLEGIBLE TEXT OR DRAWING**
- ☐ **SKEWED/SLANTED IMAGES**
- ☒ **COLOR OR BLACK AND WHITE PHOTOGRAPHS**
- ☐ **GRAY SCALE DOCUMENTS**
- ☒ **LINES OR MARKS ON ORIGINAL DOCUMENT**
- ☐ **REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY**
- ☐ **OTHER:** _____

IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.